

Declaration of Performance

ICO_DOPCE_2210_10101A1A1AAAR

TECNATORCH MINERAL CAPSHEET

1. UNIQUE IDENTIFICATION CODE OF THE PRODUCT TYPE

TECNATORCH MINERAL CAPSHEET

2. INTENDED USE

Roof waterproofing

3. MANUFACTURER, and, if applicable, AUTHORIZED REPRESENTATIVE

BMI Group UK Limited, BMI House,
2 Pitfield, Kiln Farm, Milton Keynes MK11 3LW

Necoflex Ltd. Matheson, Block a Riverside Iv, 70 Sir
John Rogerson's Quay, Dublin 2, Ireland

4. SYSTEM OR SYSTEMS AVCP

System 2+

5. HARMONIZED STANDARD or ETA

EN 13707:2004+A2:2009

6. NOTIFIED BODY(IES)

2797
1173

Signed for and on behalf of the manufacturer by:

Lubini Nabutola, Director



At BMI House, Milton Keynes

on 13/01/2023

7. DECLARED PERFORMANCE

| Essential Characteristics | Performance | Harmonized technical specification |
|---|--|------------------------------------|
| External Fire Performance* EN13501-5: 2016 | BROOF (t4) | EN 13707:2004+A 2:2009 |
| Reaction to Fire** EN13501-1: 2018 | Class E | |
| Watertightness EN1928 : 2000 | Pass (Method B) | |
| Maximum Tensile strength EN 12311-1: 2000 | Longitudinal: 900 N/50mm, Transverse: 900 N/50mm (+/- 35%) | |
| Tensile Strength - Elongation EN 12311-1: 2000 | Longitudinal: 35%, Transverse: 35% (+/-35%) | |
| Root resistance EN 13948: 2007 | NPD | |
| Resistance to static loading EN 12730: 2015 | NPD | |
| Resistance to impact EN 12691: 2018 | NPD | |
| Resistance to Tearing (nail shank) EN 12310-1: 2000 | NPD | |
| Joint Strength EN 12317-1: 2000 | NPD | |
| Durability - Top layers with permanent light protection and single layers | NPD | |



| | | |
|--|----------------|--|
| EN 1296: 2001 | | |
| Durability - Top layers and single layers without surface protection EN 1296: 2001 & EN 1297: 2004 | NPD | |
| Durability - Top layers with permanent heavy surface protection, underlayers and intermediate layers No relevant standard | NPD | |
| Pliability EN 1109: 2013 | <-15 degrees C | |
| Dangerous substances No relevant standard | NPD | |

NPD: No performance determined

*in acc. with Commission Decision 2000/553/EC. Note: This is a system test, please contact our Technical Services Team to verify that the proposed system meets your requirements. **in acc. with Commission Decision 96/603/EC

The performance of the product identified in points 1 and 2 is in conformity with the set of declared performance/s in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3